



User's Guide for QUANTUM ESPRESSO (v.6.6)

Contents

1	Introduction	1
1.1	People	3
1.2	Contacts	4
1.3	Guidelines for posting to the mailing list	4
1.4	Terms of use	5
2	Installation	6
2.1	Download	6
2.2	Prerequisites	7
2.3	<code>configure</code>	7
2.3.1	Manual configuration	11
2.4	Libraries	11
2.5	Libxc library	13
2.5.1	Linking in QUANTUM ESPRESSO	13
2.5.2	Usage	14
2.5.3	Differences between Libxc and internal functionals	15
2.5.4	Special cases	15
2.5.5	XC test	16
2.6	Compilation	16
2.7	Running tests and examples	17
2.7.1	Test-suite	17
2.7.2	Examples	18
2.8	Installation tricks and problems	19
2.8.1	All architectures	19
2.8.2	Linux PC	19
2.8.3	Linux PC clusters with MPI	21
2.8.4	Microsoft Windows	22
2.8.5	Mac OS	22
2.9	Cray machines	22
2.9.1	Obsolescent architectures	23

3	Parallelism	24
3.1	Understanding Parallelism	24
3.2	Running on parallel machines	24
3.3	Parallelization levels	25
3.3.1	Understanding parallel I/O	26
3.4	Tricks and problems	27

1 Introduction

This guide gives a general overview of the contents and of the installation of QUANTUM ESPRESSO (opEn-Source Package for Research in Electronic Structure, Simulation, and Optimization), version 6.6.

Important notice: due to the lack of time and of manpower, this manual does not cover many important aspects and may contain outdated information.

The QUANTUM ESPRESSO distribution contains the core packages `PWscf` (Plane-Wave Self-Consistent Field) and `CP` (Car-Parrinello) for the calculation of electronic-structure properties within Density-Functional Theory (DFT), using a Plane-Wave (PW) basis set and pseudopotentials. It also includes other packages for more specialized calculations:

- `PWneb`: energy barriers and reaction pathways through the Nudged Elastic Band (NEB) method.
- `PHonon`: vibrational properties with Density-Functional Perturbation Theory (DFPT).
- `PostProc`: codes and utilities for data postprocessing.
- `PWcond`: ballistic conductance.
- `XSPECTRA`: K-, L₁-, L_{2,3}-edge X-ray absorption spectra.
- `TD-DFPT`: spectra from Time-Dependent Density-Functional Perturbation Theory.
- `GWL`: electronic excitations within the GW approximation and with the Bethe-Salpeter Equation
- `EPW`: calculation of the electron-phonon coefficients and related quantities;
- `HP`: calculation of Hubbard U parameters using DFPT.

The following auxiliary packages are included as well:

- `PWgui`: a Graphical User Interface, producing input data files for `PWscf` and some `PostProc` codes.
- `atomic`: atomic calculations and pseudopotential generation.

A copy of required external libraries is also included. Finally, several additional packages that exploit data produced by QUANTUM ESPRESSO or patch some QUANTUM ESPRESSO routines can be automatically installed using `make`:

- `Wannier90`: maximally localized Wannier functions.

- **WanT**: quantum transport properties with Wannier functions.
- **YAMBO**: electronic excitations within Many-Body Perturbation Theory, GW and Bethe-Salpeter equation.
- **PLUMED** (v.1.3 only): calculation of free-energy surface through metadynamics.
- **GIPAW** (Gauge-Independent Projector Augmented Waves): NMR chemical shifts and EPR g-tensor.

For **QUANTUM ESPRESSO** with the self-consistent continuum solvation (SCCS) model, aka “Environ”, see <http://www.quantum-environment.org/>.

Documentation on single packages can be found in the `Doc/` directory of each package. A detailed description of input data is available for most packages in files `INPUT_*.txt` and `INPUT_*.html`.

The **QUANTUM ESPRESSO** codes work on many different types of Unix machines, including parallel machines using both OpenMP and MPI (Message Passing Interface). **QUANTUM ESPRESSO** also runs on Mac OS X and MS-Windows machines (see section 2.2). The GPU-enabled version is available on <https://gitlab.com/QEF/q-e-gpu/-/release>.

Further documentation, beyond what is provided in this guide, can be found in:

- the `Doc/` and `examples/` directories of the **QUANTUM ESPRESSO** distribution;
- the web site www.quantum-espresso.org;
- the archives of the mailing list: See section 1.2, “Contacts”, for more info.

People who want to contribute to **QUANTUM ESPRESSO** should read the Developer Manual: `Doc/developer_man.pdf`.

This guide does not explain the basic Unix concepts (shell, execution path, directories etc.) and utilities needed to run **QUANTUM ESPRESSO**; it does not explain either solid state physics and its computational methods. If you want to learn the latter, you should first read a good textbook, such as e.g. the book by Richard Martin: *Electronic Structure: Basic Theory and Practical Methods*, Cambridge University Press (2004); or: *Density functional theory: a practical introduction*, D. S. Sholl, J. A. Steckel (Wiley, 2009); or *Electronic Structure Calculations for Solids and Molecules: Theory and Computational Methods*, J. Kohanoff (Cambridge University Press, 2006). Then you should consult the documentation of the package you want to use for more specific references.

All trademarks mentioned in this guide belong to their respective owners.

1.1 People

The maintenance and further development of the **QUANTUM ESPRESSO** distribution is promoted by the **QUANTUM ESPRESSO** Foundation under the coordination of Paolo Giannozzi (Univ. Udine and IOM-CNR, Italy) and Pietro Delugas (SISSA Trieste) with a strong support from the MaX - Materials design at the Exascale EU Centre of Excellence.

Contributors to **QUANTUM ESPRESSO**, beyond the authors of the papers mentioned in Sec.1.4, include:

- Ye Luo (Argonne) for improved FFT threading and miscellaneous contributions and optimizations;

- Fabio Affinito (CINECA) for ELPA support, for contributions to the FFT library, and for various parallelization improvements;
- Sebastiano Caravati for direct support of GTH pseudopotentials in analytical form, Santana Saha and Stefan Goedecker (Basel U.) for improved UPF converter of newer GTH pseudopotentials;
- Axel Kohlmeyer for libraries and utilities to call QUANTUM ESPRESSO from external codes (see the COUPLE sub-directory), made the parallelization more modular and usable by external codes;
- Èric Germaineau for TB09 meta-GGA functional, using `libxc`;
- Guido Roma (CEA Saclay) for `vdw-df-obk8` e `vdw-df-ob86` functionals;
- Yves Ferro (Univ. Provence) for SOGGA and M06L functionals;
- Ikutaro Hamada (NIMS, Japan) for RPBE, OPTB86B-vdW, REV-vdW-DF2 functionals, fixes to `pw2xsf` utility;
- Daniel Forrer (Padua Univ.) and Michele Pavone (Naples Univ. Federico II) for dispersions interaction in the framework of DFT-D;
- Filippo Spiga (University of Cambridge, UK) for mixed MPI-OpenMP parallelization and for the GPU-enabled version;
- Costas Bekas and Alessandro Curioni (IBM Zurich) for the initial BlueGene porting.

Contributors to specific QUANTUM ESPRESSO packages are acknowledged in the documentation of each package.

An alphabetic list of further contributors who answered questions on the mailing list, found bugs, helped in porting to new architectures, wrote some code, contributed in some way or another at some stage, follows:

Åke Sandgren, Audrius Alkauskas, Alain Allouche, Francesco Antoniella, Uli Aschauer, Francesca Baletto, Gerardo Ballabio, Mauro Boero, Scott Brozell, Claudia Bungaro, Paolo Cazzato, Gabriele Cipriani, Jiayu Dai, Stefano Dal Forno, Cesar Da Silva, Alberto Debernardi, Gernot Deinzer, Alin Marin Elena, Francesco Filipponi, Prasenjit Ghosh, Marco Govoni, Thomas Gruber, Martin Hilgeman, Yosuke Kanai, Konstantin Kudin, Nicolas Lacorne, Hyungjun Lee, Stephane Lefranc, Sergey Lisenkov, Kurt Maeder, Andrea Marini, Giuseppe Mattioli, Nicolas Mounet, William Parker, Pasquale Pavone, Mickael Profeta, Chung-Yuan Ren, Kurt Stokbro, David Strubbe, Sylvie Stucki, Paul Tangney, Pascal Thibaudeau, Davide Tiana, Antonio Tilocca, Jaro Tobik, Malgorzata Wierzbowska, Vittorio Zecca, Silviu Zilberman, Federico Zipoli,

and let us apologize to everybody we have forgotten.

1.2 Contacts

The web site for QUANTUM ESPRESSO is <http://www.quantum-espresso.org/>. Releases and patches can be downloaded from the links contained in it. The main entry point for developers is the GitLab web site: <https://gitlab.com/QEF/q-e>.

The recommended place where to ask questions about installation and usage of QUANTUM ESPRESSO, and to report problems, is the mailing list users@lists.quantum-espresso.org. Here you can obtain help from the developers and from knowledgeable users. You have to be subscribed (see the “Contacts” section of the web site) in order to post to the users’ list. Please check your spam folder if you do not get a confirmation message when subscribing.

Please read the guidelines for posting, section 1.3! PLEASE NOTE: only messages that appear to come from the registered user’s e-mail address, in its *exact form*, will be accepted. In case of trouble, carefully check that your return e-mail is the correct one (i.e. the one you used to subscribe). Please also note that since some time the correct functioning of mailing list is frequently disrupted by policy changes at large commercial providers. There is not much we can do about that.

If you need to contact the developers for *specific* questions about coding, proposals, offers of help, etc., you may either post an “Issue” to GitLab, or send a message to the developers’ mailing list developers@lists.quantum-espresso.org. Please do not post general questions there: they will be ignored.

1.3 Guidelines for posting to the mailing list

Life for mailing list subscribers will be easier if everybody complies with the following guidelines:

- Before posting, *please*: browse or search the archives – links are available in the “Contacts” section of the web site. Most questions are asked over and over again. Also: make an attempt to search the available documentation, notably the FAQs and the User Guide(s). The answer to most questions is already there.
- Reply to both the mailing list and the author or the post, using “Reply to all”.
- Sign your post with your name and affiliation.
- Choose a meaningful subject. Do not start a new thread by making a ”reply” to an existing message: it will confuse the ordering of messages into threads that most mailers can do. In particular, do not use ”Reply” to a Digest!!!
- Be short: no need to send 128 copies of the same error message just because this is what came out of your 128-processor run. No need to send the entire compilation log for a single error appearing at the end.
- Do not post large attachments: post a link to a place where the attachment(s) can be downloaded from, such as e.g. DropBox, GoogleDocs, or one of the various web temporary storage spaces.
- Avoid excessive or irrelevant quoting of previous messages. Your message must be immediately visible and easily readable, not hidden into a sea of quoted text.

- Remember that even experts cannot guess where a problem lies in the absence of sufficient information. One piece of information that must *always* be provided is the version number of QUANTUM ESPRESSO.
- Remember that the mailing list is a voluntary endeavor: nobody is entitled to an answer, even less to an immediate answer.
- Finally, please note that the mailing list is not a replacement for your own work, nor is it a replacement for your thesis director's work.

1.4 Terms of use

QUANTUM ESPRESSO is free software, released under the GNU General Public License. See <http://www.gnu.org/licenses/old-licenses/gpl-2.0.txt>, or the file License in the distribution).

We shall greatly appreciate if scientific work done using the QUANTUM ESPRESSO distribution will contain an acknowledgment to the following references:

P. Giannozzi, S. Baroni, N. Bonini, M. Calandra, R. Car, C. Cavazzoni, D. Ceresoli, G. L. Chiarotti, M. Cococcioni, I. Dabo, A. Dal Corso, S. Fabris, G. Fratesi, S. de Gironcoli, R. Gebauer, U. Gerstmann, C. Gougoussis, A. Kokalj, M. Lazzeri, L. Martin-Samos, N. Marzari, F. Mauri, R. Mazzarello, S. Paolini, A. Pasquarello, L. Paulatto, C. Sbraccia, S. Scandolo, G. Sclauzero, A. P. Seitsonen, A. Smogunov, P. Umari, R. M. Wentzcovitch, *J.Phys.: Condens.Matter* 21, 395502 (2009)

and

P. Giannozzi, O. Andreussi, T. Brumme, O. Bunau, M. Buongiorno Nardelli, M. Calandra, R. Car, C. Cavazzoni, D. Ceresoli, M. Cococcioni, N. Colonna, I. Carnimeo, A. Dal Corso, S. de Gironcoli, P. Delugas, R. A. DiStasio Jr, A. Ferretti, A. Floris, G. Fratesi, G. Fugallo, R. Gebauer, U. Gerstmann, F. Giustino, T. Gorni, J. Jia, M. Kawamura, H.-Y. Ko, A. Kokalj, E. Küçükbenli, M. Lazzeri, M. Marsili, N. Marzari, F. Mauri, N. L. Nguyen, H.-V. Nguyen, A. Otero-de-la-Roza, L. Paulatto, S. Poncé, D. Rocca, R. Sabatini, B. Santra, M. Schlipf, A. P. Seitsonen, A. Smogunov, I. Timrov, T. Thonhauser, P. Umari, N. Vast, X. Wu, S. Baroni, *J.Phys.: Condens.Matter* 29, 465901 (2017)

Users of the GPU-enabled version should also cite the following paper:

P. Giannozzi, O. Baseggio, P. Bonfà, D. Brunato, R. Car, I. Carnimeo, C. Cavazzoni, S. de Gironcoli, P. Delugas, F. Ferrari Ruffino, A. Ferretti, N. Marzari, I. Timrov, A. Urru, S. Baroni, *J. Chem. Phys.* 152, 154105 (2020)

Note the form QUANTUM ESPRESSO for textual citations of the code. Please also see package-specific documentation for further recommended citations. Pseudopotentials should be cited as (for instance)

[] We used the pseudopotentials C.pbe-rrjkus.UPF and O.pbe-vbc.UPF from <http://www.quantum-espresso.org>.

2 Installation

2.1 Download

QUANTUM ESPRESSO is distributed in source form, but selected binary packages and virtual machines are also available. Stable and development releases of the QUANTUM ESPRESSO source package (current version is 6.6), as well as available binary packages, can be downloaded from the links listed in the “Download” section of www.quantum-espresso.org.

The Quantum Mobile virtual machine for Windows/Mac/Linux/Solaris provides a complete Ubuntu Linux environment, containing QUANTUM ESPRESSO and more. Link and description in <https://www.materialscloud.org/work/quantum-mobile>.

For source compilation, uncompress and unpack compressed archives in the typical .tar.gz format using the command:

```
tar zxvf qe-X.Y.Z.tar.gz
```

(a hyphen before “zxvf” is optional) where X.Y.Z stands for the version number. If your version of tar doesn’t recognize the “z” flag:

```
gunzip -c qe-X.Y.Z.tar.gz | tar xvf -
```

A directory qe-X.Y.Z/ will be created.

A few additional packages that are not included in the base distribution will be downloaded on demand at compile time, using **make** (see Sec.2.6). Note however that this will work only if the computer you are installing on is directly connected to the internet and has either **wget** or **curl** installed and working. If you run into trouble, manually download each required package into subdirectory **archive/**, *not unpacking or uncompressing it*: command **make** will take care of this during installation.

The QUANTUM ESPRESSO distribution contains several directories. Some of them are common to all packages:

Modules/	Fortran modules and utilities used by all programs
upflib/	pseudopotential-related code, plus conversion tools
include/	files *.h included by fortran and C source files
clib/	libraries and utilities written in C
FFTXlib/	FFT libraries
LAXlib/	Linear Algebra (parallel) libraries
KS_Solvers/	Iterative diagonalization routines
UtilXlib/	Miscellaneous timing, error handling, MPI utilities
install/	installation scripts and utilities
pseudo/	pseudopotential files used by examples
Doc/	general documentation
archive/	external libraries in .tar.gz form
test-suite/	automated tests

while others are specific to a single package:

PW/	PWscf package
EPW/	EPW package
NEB/	PWneb package
PP/	PostProc package
PHonon/	PHonon package
PWCOND/	PWcond package
CPV/	CP package
atomic/	atomic package
GUI/	PWGui package
HP/	HP package

Finally, directory `COUPLE/` contains code and documentation that is useful to call QUANTUM ESPRESSO programs from external codes; directory `LR_Modules/` contains source files for modules that are common to all linear-response codes.

2.2 Prerequisites

To install QUANTUM ESPRESSO from source, you need first of all a minimal Unix environment, that is: a command shell (e.g., `bash`, `sh`) and utilities `make`, `awk`, `sed`. For MS-Windows, see Sec.2.8.4.

Note that the scripts contained in the distribution assume that the local language is set to the standard, i.e. "C"; other settings may break them. Use `export LC_ALL=C` (`sh/bash`) or `setenv LC_ALL C` (`cshtcsh`) to prevent any problem when running scripts (including installation scripts).

Second, you need C and Fortran compilers, compliant with C89 and F2003 standards¹. For parallel execution, you will also need MPI libraries and a parallel (i.e. MPI-aware) compiler. For massively parallel machines, or for simple multicore parallelization, an OpenMP-aware compiler and libraries are also required. For GPU's, you will need the CUDA Fortran version and to compile with the PGI compiler and run with CUDA run-time environment.

As a rule, QUANTUM ESPRESSO tries to keep compatibility with older compilers, avoiding nonstandard extensions and newer features that are not widespread or stabilized. If however your compiler is very old (say older than ~ 5 years or so) it is quite likely that something will not work. The same applies to mathematical and MPI libraries.

Big machines with specialized hardware (e.g. IBM SP, CRAY, etc) typically have a Fortran compiler with MPI and OpenMP libraries bundled with the software. Workstations or "commodity" machines, using PC hardware, may or may not have the needed software. If not, you need either to buy a commercial product (e.g. Intel, NAG, PGI) or to use an open-source compiler like `gfortran` from the `gcc` distribution. Some commercial compilers (e.g. PGI) may be available free of charge under some conditions (e.g. academic or personal usage).

2.3 configure

To install the QUANTUM ESPRESSO source package, run the `configure` script. This is actually a wrapper to the true `configure`, located in the `install/` subdirectory (`configure -h` for help). `configure` will (try to) detect compilers and libraries available on your machine, and set up things accordingly. Presently it is expected to work on all "common" computers,

¹since v.6.4 a standard 2008 feature is used: if unallocated pointers are passed as optional arguments, they are interpreted as not present

that is: based on Intel, AMD, ARM CPUs, running Linux, Mac OS X, MS-Windows. QUANTUM ESPRESSO is known to work on many more kinds of machines but may require some tweaking, especially for the hardware of large HPC centers. Detailed but sometimes outdated installation instructions for specific HPC machines may be found in files `install/README.sys`, where `sys` is the machine name.

Note: support for cMake is being added.

Instructions for the impatient:

```
cd qe-X.Y.Z/
./configure
make all
```

This will (try to) produce parallel (MPI) executable if a proper parallel environment is detected, serial executables otherwise. For OpenMP executables, specify `./configure --enable-openmp`. Symlinks to executable programs will be placed in the `bin/` subdirectory. Note that both C and Fortran compilers must be in your execution path, as specified in the `PATH` environment variable.

`configure` generates the following files:

<code>make.inc</code>	compilation rules and flags (used by <code>Makefile</code>)
<code>install/configure.msg</code>	a report of the configuration run (not needed for compilation)
<code>install/config.log</code>	detailed log of the configuration run (useful for debugging)
<code>include/qe_cdefs.h</code>	(previously: <code>include/c_defs.h</code>) a few definitions used by C files
<code>include/configure.h</code>	optionally: info on compilation flags (uncomment <code>#define __HAVE_C</code>

NOTA BENE: if you interrupt `make`, it may fail when you start it again later (this will happen for instance if `make` is interrupted while unpacking and compiling the FoX library). If so, run `make clean` before running `make` again.

NOTA BENE 1: it is convenient to use "parallel `make`" to speed up compilation: `make -jN` compiles in parallel on `N` processors.

NOTA BENE 2: `configure` no longer updates files `make.depend`, containing dependencies upon modules, in the various subdirectories. If you modify the sources, run `./install/makedeps.sh` or type `make depend` to update files `make.depend`.

NOTA BENE 3: `make.inc` used to be called `make.sys` until v.6.0. The change of name is due to frequent problems with mailers assuming that whatever ends in `.sys` is a suspect virus.

You should always be able to compile the QUANTUM ESPRESSO suite of programs without having to edit any of the generated files. However you may have to tune `configure` by specifying appropriate environment variables and/or command-line options. Usually the tricky part is to get external libraries recognized and used: see Sec.2.4 for details and hints.

Environment variables may be set in any of these ways:

```
export VARIABLE=value; ./configure           # sh, bash, ksh
setenv VARIABLE value; ./configure          # csh, tcsh
env VARIABLE=value ./configure             # any shell
./configure VARIABLE=value                 # any shell
```

As a rule: do not define environment variables for `configure` unless you need it. Always try `configure` with no options as a first step. Some environment variables that are relevant to `configure` are:

ARCH	label identifying the machine type (see below)
F90, F77, CC	names of Fortran, Fortran-77, and C compilers
MPIF90	name of parallel Fortran 90 compiler (using MPI)
CPP	source file preprocessor (defaults to \$CC -E)
LD	linker (defaults to \$MPIF90)
(C,F,F90,CPP,LD)FLAGS	compilation/preprocessor/loader flags
LIBDIRS	extra directories where to search for libraries

(note that F90 is an “historical” name – we actually use Fortran 2003 – and that it should be used only together with option `--disable-parallel`. In fact, the value of F90 must be consistent with the parallel Fortran compiler which is determined by `configure` and stored in the MPIF90 variable).

For example, the following command line:

```
./configure MPIF90=mpif90 FFLAGS="-O2 -assume byterecl" \
            CC=gcc CFLAGS=-O3 LDFLAGS=-static
```

instructs `configure` to use `mpif90` as Fortran compiler with flags `-O2 -assume byterecl`, `gcc` as C compiler with flags `-O3`, and to link with flag `-static`. Note that the value of `FFLAGS` must be quoted, because it contains spaces. **NOTA BENE**: passing the complete path to compilers (e.g., `F90=/path/to/f90xyz`) may lead to obscure errors during compilation.

If your machine type is unknown to `configure`, you may use the `ARCH` variable to suggest an architecture among supported ones. Some large parallel machines using a front-end (e.g. Cray XT) will actually need it, or else `configure` will correctly recognize the front-end but not the specialized compilation environment of those machines. In some cases, cross-compilation requires to specify the target machine with the `--host` option. This feature has not been extensively tested, but we had at least one successful report (compilation for NEC SX6 on a PC). Currently supported architectures are:

<code>x86_64</code>	Intel and AMD 64-bit running Linux
<code>arm</code>	ARM machines (with <code>gfortran</code> or <code>armflang</code>)
<code>crayxt4</code>	Cray XT4/XT5/XE machines
<code>mac686</code>	Apple Intel machines running Mac OS X
<code>mingw32</code>	Cross-compilation for MS-Windows, using <code>mingw</code> , 32 bits
<code>mingw64</code>	As above, 64 bits
<code>cygwin</code>	MS-Windows PCs with <code>Cygwin</code>
<code>ppc64</code>	Linux PowerPC machines, 64 bits
<code>ppc64-mn</code>	as above, with IBM <code>xlf</code> compiler
<code>ppc64-bg*</code>	IBM BlueGene
<code>necsx*</code>	NEC SX-6 and SX-8 machines
<code>ia32*</code>	Intel 32-bit machines (x86) running Linux
<code>ia64*</code>	Intel 64-bit (Itanium) running Linux

Note: `x86_64` replaces `amd64` since v.4.1. Cray Unicos machines, SGI machines with MIPS architecture, HP-Compaq Alphas are no longer supported since v.4.2; PowerPC Macs are no longer supported since v.5.0; IBM machines with AIX are no longer supported since v.6.0. Architectures marked with a * are to be considered obsolescent or obsolete.

Finally, `configure` recognizes the following command-line options:

--enable-parallel compile for parallel (MPI) execution if possible (default: yes)
--enable-openmp compile for OpenMP execution if possible (default: no)
--enable-shared use shared libraries if available (default: yes;
 "no" is implemented, untested, in only a few cases)
--enable-debug compile with debug flags (only for some compilers; default: no)
--enable-pedantic compile with pedantic flags (only for gfortran; default: no)
--enable-signals enable signal trapping (default: disabled)

and the following optional packages:

--with-scalapack (yes|no|intel) Use scalapack if available.
 Set to **intel** to use Intel MPI and blacs (default: use OpenMPI)
--with-elpa-include Specify full path of ELPA include and modules headers (default: no)
--with-elpa-lib Specify full path of the ELPA library (default: no)
--with-elpa-version Specify ELPA version, only year (2015 or 2016, default: 2016)
--with-hdf5 (no | | yes | <path>)
 Use HDF5, if yes configure assumes
 that a valid installation with version $\geq 1.8.16$ is
 available, and h5cc and h5fc are in the default
 executable search path; path must be the root
 folder of a standalone hdf5 installation. (default: no).
--with-hdf5-libs= Specify the linker options needed by HDF5 when
 configure fails to detect them by itself. As value
 to specify here is usually composed by many
 substrings it should be enclosed by quotes so to
 prevent configure failures. (default: no)
--with-hdf5-include Specify full path the HDF5 include folder containing
 module and headers files. Use it if configure fails
 to detect the path by itself. (default: no)
--with-libxc Link the libxc library (default:no)
--with-libxc-prefix directory where libxc is installed
--with-libxc-include directory where libxc Fortran headers reside

The following options are available for the CUDA Fortran GPU version:

--with-cuda=value enables compilation of the CUDA Fortran
 accelerated subroutines.
value should point the path where the CUDA toolkit
 is installed, e.g. `/opt/cuda` (default: no)
--with-cuda-cc=value sets the compute capabilities for the compilation
 of the accelerated subroutines.
value must be consistent with the hardware and the
 NVidia driver installed on the workstation or on the
 compute nodes of the HPC facility (default: 35)
--with-cuda-runtime=value sets the version of the CUDA toolkit used
 for the compilation of the accelerated code.
value must be consistent with the
 CUDA Toolkit installed on the workstation
 or available on the compute nodes of the HPC facility.
 PGI compilers currently accept 7.5, 8.0 or 9.0 (default: 8.0)

Please remember that in order to compile the CUDA code for GPU's you need ... the CUDA code (it is aligned to but separated from the main distribution)! you also need a recent version of the PGI Fortran compiler. OpenMP must be enabled, and you may want to use a CUDA-aware MPI distribution to optimize the data transfer between the processes.

If you want to modify `configure` (advanced users only!), see the Developer Manual.

2.3.1 Manual configuration

If `configure` stops before the end, and you don't find a way to fix it, you have to write a working `make.inc` file (optionally, `include/qe_cdefs.h`). The template used by `configure` is `install/make.inc.in` and contains explanations of the meaning of the various variables. Note that you may need to select appropriate preprocessing flags in conjunction with the desired or available libraries (e.g. you need to add `-D_FFTW` to `DFLAGS` if you want to link internal FFTW). For a correct choice of preprocessing flags, refer to the documentation in `include/defs.h.README`.

NOTA BENE: If you change any settings (e.g. preprocessing, compilation flags) after a previous (successful or failed) compilation, you must run `make clean` before recompiling, unless you know exactly which routines are affected by the changed settings and how to force their recompilation. `configure` will clean objects and executables, unless you use option `--save`.

2.4 Libraries

QUANTUM ESPRESSO contains a copy of some needed external libraries:

- `iotk` and `FoX` for reading and writing xml files;
- BLAS (<http://www.netlib.org/blas/>) and LAPACK (<http://www.netlib.org/lapack/>) for linear algebra;
- FFTW (<http://www.fftw.org/>) for Fast Fourier Transforms.

Optimized vendor-specific libraries often yield huge performance gains with respect to compiled libraries and should be used whenever possible. `configure` always try to locate the best mathematical libraries.

BLAS and LAPACK QUANTUM ESPRESSO can use any architecture-optimized BLAS and LAPACK replacements, like those contained e.g. in the MKL for Intel and AMD CPUs, or ESSL for IBM Power machines.

If no optimized libraries are available, one may try the ATLAS library: <http://math-atlas.sourceforge.net/>. Note that ATLAS is not a complete replacement for LAPACK: it contains all of the BLAS, plus the LU code, plus the full storage Cholesky code. Follow the instructions in the ATLAS distributions to produce a full LAPACK replacement.

Sergei Lisenkov reported success and good performances with optimized BLAS by Kazushige Goto. The library is now available under an open-source license: see the GotoBLAS2 page at <http://www.tacc.utexas.edu/tacc-software/gotoblas2/>.

FFT The FFTXlib of QUANTUM ESPRESSO contains a copy of an old FFTW library. It also supports the newer FFTW3 library and some vendor-specific FFT libraries. `configure` will first search for vendor-specific FFT libraries; if none is found, it will search for an external FFTW v.3 library; if none is found, it will fall back to the internal copy of FFTW. `configure` will add the appropriate preprocessing options:

- `-D_LINUX_ESSL` for ESSL on IBM Linux machines,
- `-DASL` for NEC ASL library on NEC machines (obsolete?),
- `-D_ARM_LIB` for ARM Performance library,
- `-D_DFTI` for DFTI (Intel MKL library),
- `-D_FFTW3` for FFTW3 (external),
- `-D_FFTW` for FFTW (internal library),

to `DFLAGS` in the `make.inc` file. If you edit `make.inc` manually, please note that one and only one among the mentioned preprocessing option must be set.

If you have MKL libraries, you may either use the provided FFTW3 interface (v.10 and later), or directly link FFTW3 from MKL (v.12 and later) or use DFTI (recommended).

MPI libraries MPI libraries are usually needed for parallel execution, unless you are happy with OpenMP-only multicore parallelization. In well-configured machines, `configure` should find the appropriate parallel compiler for you, and this should find the appropriate libraries. Since often this doesn't happen, especially on PC clusters, see Sec.2.8.3.

Note: since v.6.1, MPI libraries implementing v.3 of the standard (notably, non-blocking broadcast and gather operations) are required.

Libraries for accelerators The accelerated version of the code uses standard CUDA libraries such as `cublas`, `cufft`, `cusolver` and the eigensolver library explicitly developed for QUANTUM ESPRESSO by NVidia and distributed at https://github.com/NVIDIA/Eigensolver_gpu.

HDF5 The HDF5 library (<https://www.hdfgroup.org/downloads/hdf5/>), v.1.8.16 or later, can be used to perform binary I/O using the HDF5 format.

If compiling the HDF5 library from sources, attention must be paid to pass options `--enable-fortran`, `--enable-fortran2003`, and `--enable-parallel` (see below), to the `configure` script of HDF5 (not of QUANTUM ESPRESSO).

To use HDF5 is usually sufficient to specify the path to the fortran compiler wrapper for HDF5 (`h5fc` of `h5pfc` with the `--with-hdf5=` option of `configure`. If the wrapper is in the default path, just use `--with-hdf5=yes`. The `configure` script is usually able to extract the linker options and the include directory path from the output of the wrapper. If it fails, the user can provide `configure` options `--with-hdf5-libs=<options>` and `--with-hdf5-include=<path>` for the linker options and include path respectively. These options are often needed when using the HDF5 packages provided by many LINUX distributions. In this case you may first try the `--with-hdf5=yes` option. If it fails, just type command `h5fc --show` (or `h5pfc` if you are using parallel HDF5): the command will print out the linker and include options to be passed manually to the `configure` script.

The configure script is able to determine whether one is linking to a serial or parallel HDF5 library, and will set the flag `-D_HDF5_SERIAL` in the `make.inc` file accordingly.

Other libraries QUANTUM ESPRESSO can use the MASS vector math library from IBM, if available (only on machines with XLF compiler: likely obsolete).

If optimized libraries are not found The configure script attempts to find optimized libraries, but may fail if they have been installed in non-standard places. You should examine the final value of `BLAS_LIBS`, `LAPACK_LIBS`, `FFT_LIBS`, `MPI_LIBS` (if needed), `MASS_LIBS` (IBM only), either in the output of `configure` or in the generated `make.inc`, to check whether it found all the libraries that you intend to use.

If some library was not found, you can specify a list of directories to search in the environment variable `LIBDIRS`, and rerun `configure`; directories in the list must be separated by spaces. For example:

```
./configure LIBDIRS="/opt/intel/mkl70/lib/32 /usr/lib/math"
```

If this still fails, you may set some or all of the `*_LIBS` variables manually and retry. For example:

```
./configure BLAS_LIBS="-L/usr/lib/math -lf77blas -latlas_sse"
```

Beware that in this case, `configure` will blindly accept the specified value, and won't do any extra search.

2.5 Libxc library

QUANTUM ESPRESSO is compatible with `libxc` version 4.3.0 or later (compatibility with older versions is not guaranteed).

The `libxc` functionals are available for LDA, GGA and metaGGA, however, not all of them are straightforwardly usable. Some of them may depend on specific external parameters and some others may provide as output the energy or the potential, but not both. Therefore some attention has to be paid when using `libxc`. Warning messages should appear in the output when particular cases whose correct operation in QUANTUM ESPRESSO is not guaranteed are chosen.

2.5.1 Linking in QUANTUM ESPRESSO

Once installed `libxc`, the linking with QUANTUM ESPRESSO can be enabled directly through the configuration script by adding the two switches `--with-libxc` and `--with-libxc-prefix`, e.g.:

```
./configure --with-libxc --with-libxc-prefix='/path/to/libxc/'
```

By adding the first switch only an automatic search for the `libxc` folder will be attempted, but its success is not guaranteed. It is always preferable to specify the second switch too. Optionally, a third switch can be added, namely `--with-libxc-include='/path/to/libxc/include'`, which specifies the path to the Fortran headers (usually it is not necessary).

Alternatively, the link to `libxc` can be activated after the configuration of QUANTUM ESPRESSO by modifying the `make.inc` file in the main folder in this way:

- add `-D_LIBXC` to `DFLAGS`
- add `-I/path/to/libxc/include/` to `IFLAGS`
- set `LD_LIBS=-L/path/to/libxc/lib/ -lxcf90 -lxc`

Then QUANTUM ESPRESSO can be compiled as usual. If the version of `libxc` is older than 5.0.0, the last point must be replaced by:

- set `LD_LIBS=-L/path/to/libxc/lib/ -lxcf03 -lxc`

Note for version 5.0.0: the `f03` interfaces are no longer available in `libxc` 5.0.0. They have been reintroduced in the current develop version. Version 5.0.0 is still usable, but, before compiling QUANTUM ESPRESSO, a string replacement is necessary, namely `'xc_f03'` must be replaced with `'xc_f90'` everywhere in the following files: `funct.f90`, `xc_lda_lda_drivers.f90`, `xc_gga_drivers.f90`, `xc_mgga_drivers.f90`, `dmxc_drivers.f90` and `dgcxc_drivers.f90` in `Modules` folder and `xctest_qe_libxc.f90` in `PP/src` folder.

2.5.2 Usage

In order to use `libxc` functionals, you must enforce them from input by including the `input_dft` string in the `system` namelist. For example, to use the `libxc` version of the PBE functionals (both exchange and correlation):

```
input_dft = 'gga_x_pbe gga_c_pbe'
```

Capital or lowercase is not relevant, neither the separation between one name and the other. The complete list of `libxc` functionals is available at:

<https://www.tddft.org/programs/libxc/functionals/>

Combinations of QUANTUM ESPRESSO and `libxc` functionals are allowed in `PW`, but some attention has to be paid to their reciprocal compatibility (see section below). In these cases, again, the functionals must be enforced from input. For example, the exchange term of PBE in QUANTUM ESPRESSO together with the correlation term of PBE in `libxc` is obtained by putting:

```
input_dft = 'sla pbe gga_c_pbe'
```

Note that when using GGA functionals of QUANTUM ESPRESSO you must always specify the LDA term too, while it is not the case for the `libxc` ones.

Outside `PW` (`PHonon`, `PP`, etc.), `libxc` functionals are still usable, but in these cases it is highly recommended to avoid combinations of `QE` and `libxc` functionals together, since, at present, they may lead to some issues in the `dft` detection.

2.5.3 Differences between Libxc and internal functionals

There are some differences between QUANTUM ESPRESSO functionals and libxc ones. In QUANTUM ESPRESSO the LDA and the GGA terms are separated and must be specified independently. In libxc the GGA functionals already include the LDA part (Slater exchange and Perdew&Wang correlation in most of the cases with the exception, for example, of Lee Yang Parr functionals).

The libxc metaGGA functionals may or may not need the LDA and GGA terms, depending on the cases, therefore a good check of the chosen functionals is recommended before doing expensive runs.

Some functionals in libxc incorporate the exchange part and the correlation one into one term only (e.g. the ones that include the ‘_xc’ label in their name). In these cases the whole functional is formally treated as ‘exchange only’ by QUANTUM ESPRESSO. This does not imply any loss of information.

2.5.4 Special cases

A number of libxc functional routines need extra information on input and/or provide only partial information on output (e.g. the energy or the potential only). In these cases the use of such functionals may not be straightforward and, depending on the cases, may require some work on the QUANTUM ESPRESSO source code.

External parameters. Several functionals in libxc depend on one or more external parameters. Some of these can be recovered inside QUANTUM ESPRESSO, some others are not directly available. In all these cases a direct intervention on the QUANTUM ESPRESSO source code is necessary in order to be able to properly use such functionals.

The libxc routine `xc_f03_func_set_ext_params` allows to set the value of the external parameters, which are contained in a single array. A trace for the usage of this routine is present, among the comments, in the XC-drivers of QUANTUM ESPRESSO (in `Modules` folder: `xc_lda_lda_drivers.f90`, `xc_gga_drivers.f90`, etc.).

Without setting the external parameters inside the code, their default value will be assumed. This could lead to results different from the expectations. To get the default values, the `xc_f03_func_info_get_ext_params_default_value` routine is available in libxc. For more details we refer to the official documentation of libxc.

In any case, when external parameters are needed by the chosen functionals, a warning message will appear in the output of QUANTUM ESPRESSO.

Hybrid functionals. The hybrid functionals of libxc are allowed, but, as in the previous case, their correct operation is not guaranteed by default. It is important to ensure that the `exx_fraction` in QUANTUM ESPRESSO assumes the desired value when the XC routines are called. To do this you need to act on the external parameters of the functionals, as explained previously. Moreover it is important to ensure that the starting value of the variable `exx_fraction` in QUANTUM ESPRESSO, which is set in the `matching_libxc` routine in `Modules/funct.f90`, is the desired one (`exx_fraction` may not always coincide with the `exx_coef` of libxc).

Functionals with partial output. A few `libxc` functional routines provides the energy and some others the potential only, but not both of them. At present, `QUANTUM ESPRESSO`, assumes that both the energy and the potential are provided when a XC-functional routine is called, therefore, in order to use these functionals, some modifications on the code will be necessary.

Other functionals. Besides exchange (`_x`), correlation (`_c`) and exchange plus correlation (`_xc`), a fourth kind of functionals is available in `libxc`, the kinetic functionals (`_k`). At present, they are not usable in `QUANTUM ESPRESSO`.

2.5.5 XC test

A simple testing program, `xctest_qe_libxc.f90`, for the XC part of `QUANTUM ESPRESSO` is available in the `PP/src` folder.

The program tests the output (energies and potentials) of the XC-driver routines by comparing the results obtained with the `QUANTUM ESPRESSO` internal library of XC functionals with those obtained with the `libxc` library.

It also tests the XC-derivative part (mainly used in `PHonon`) by comparing the QE derivative of the XC potential (for LDA and GGA) with the `libxc` one.

2.6 Compilation

The compiled codes can run with any input: almost all variables are dynamically allocated at run time. Only a few variables have fixed dimensions, set in file `Modules/parameters.f90`:

```
ntypx = 10,      &! max number of different types of atom
npsx  = ntypx,  &! max number of different PPs (obsolete)
nsx   = ntypx,  &! max number of atomic species (CP)
npx   = 40000,  &! max number of k-points
lmaxx = 3,      &! max non local angular momentum (l=0 to lmaxx)
lqmax = 2*lmaxx+1 ! max number of angular momenta of Q
```

These values should work for the vast majority of cases. In case you need more atomic types or more k-points, edit this file and recompile.

At your choice, you may compile the complete `QUANTUM ESPRESSO` suite of programs (with `make all`), or only some specific programs. All executables are linked in main `bin` directory.

`make` with no arguments yields a list of valid compilation targets:

- `make pw` self-consistent-field package `PWscf`
- `make cp` Car-Parrinello package `CP`
- `make neb` `PWneb` package
- `make ph` `PHonon` package
- `make pp` postprocessing package `PostProc`
- `make pwcond` ballistic conductance package `PWcond`

- `make pwall` all of the above
- `make hp` HP package.
- `make tddfpt` TD-DFPT package.
- `make ld1` pseudopotential generator package `atomic`.
- `make xspectra` package `XSpectra`.
- `make all` all of the above
- `make epw` package EPW - prerequisite package `wannier90` is compiled as well
- `make w90` downloads `wannier90`, unpacks it, copies an appropriate `make.inc` file, produces all executables in `W90/wannier90.x` and in `bin/`
- `make want` downloads `WanT`, unpacks it, runs its `configure`, produces all executables for `WanT` in `WANT/bin`.
- `make yambo` downloads `yambo`, unpacks it, runs its `configure`, produces all `yambo` executables in `YAMBO/bin`
- `make gipaw` downloads `GIPAW`, unpacks it, runs its `configure`, produces all `GIPAW` executables in `GIPAW/bin` and in main `bin` directory.
- `make plumed` unpacks `PLUMED`, patches several routines in `PW/`, `CPV/` and `clib/`, recompiles `PWscf` and `CP` with `PLUMED` support

For the setup of the GUI, refer to the `PWgui-X.Y.Z /INSTALL` file, where `X.Y.Z` stands for the version number of the GUI (should be the same as the general version number). If you are using sources from the git repository, see the `GUI/README` file instead.

If `make` refuses for some reason to download additional packages, manually download them into subdirectory `archive/`, *not* unpacking or uncompressing them, and try `make` again. Also see Sec.(2.1).

2.7 Running tests and examples

As a final check that compilation was successful, you may want to run some or all of the tests and examples. Notice that most tests and examples are devised to be run serially or on a small number of processors; do not use tests and examples to benchmark parallelism, do not try to run on too many processors.

2.7.1 Test-suite

Automated tests give a "pass/fail" answer. All tests run quickly (less than a minute at most), but they are not meant to be realistic, just to test a specific case. Many features are tested but only for the following codes: `pw.x`, `cp.x`, `ph.x`, `epw.x`. Instructions for the impatient:

```
cd test-suite
make run-tests
```

Instructions for all others: go to the `test-suite/` directory, read the `README` file, or at least, type `make`. You may need to edit the `run-XX.sh` shells, defining variables `PARA_PREFIX` and `PARA_POSTFIX` (see below for their meaning).

2.7.2 Examples

There are many examples and reference data for almost every piece of QUANTUM ESPRESSO, but you have to manually inspect the results.

In order to use examples, you should edit file `environment_variables`, setting the following variables as needed.

`BIN_DIR`: directory where executables reside
`PSEUDO_DIR`: directory where pseudopotential files reside
`TMP_DIR`: directory to be used as temporary storage area

The default values of `BIN_DIR` and `PSEUDO_DIR` should be fine, unless you have installed things in nonstandard places. `TMP_DIR` must be a directory where you have read and write access to, with enough available space to host the temporary files produced by the example runs, and possibly offering high I/O performance (i.e., don't use an NFS-mounted directory). **NOTA BENE**: do not use a directory containing other data: the examples will clean it!

If you have compiled the parallel version of QUANTUM ESPRESSO (this is the default if parallel libraries are detected), you will usually have to specify a launcher program (such as `mpirun` or `mpiexec`) and the number of processors: see Sec.3 for details. In order to do that, edit again the `environment_variables` file and set the `PARA_PREFIX` and `PARA_POSTFIX` variables as needed. Parallel executables will be run by a command like this:

```
$PARA_PREFIX pw.x $PARA_POSTFIX -i file.in > file.out
```

For example, if the command line is like this (as for an IBM SP):

```
poe pw.x -procs 4 -i file.in > file.out
```

you should set `PARA_PREFIX="poe"`, `PARA_POSTFIX="-procs 4"`. Furthermore, if your machine does not support interactive use, you must run the commands specified above through the batch queuing system installed on that machine. Ask your system administrator for instructions. For execution using OpenMP on `N` threads, use `PARA_PREFIX="env OMP_NUM_THREADS=N ... "`.

To run an example, go to the corresponding directory (e.g. `PW/examples/example01`) and execute:

```
./run_example
```

This will create a subdirectory `results/`, containing the input and output files generated by the calculation. Some examples take only a few seconds to run, while others may require up to several minutes.

In each example's directory, the `reference/` subdirectory contains verified output files, that you can check your results against. They were generated on a Linux PC using the Intel compiler. On different architectures the precise numbers could be slightly different, in particular if different FFT dimensions are automatically selected. For this reason, a plain diff of your results against the reference data doesn't work, or at least, it requires human inspection of the results.

The example scripts stop if an error is detected. You should look *inside* the last written output file to understand why.

2.8 Installation tricks and problems

2.8.1 All architectures

- Working Fortran and C compilers, compliant with F2003 and C89 standards (see Sec.2.2) respectively, are needed in order to compile QUANTUM ESPRESSO. Most recent Fortran compilers will do the job.

C and Fortran compilers must be in your PATH. If `configure` says that you have no working compiler, well, you have no working compiler, at least not in your PATH, and not among those recognized by `configure`.

- If you get *Compiler Internal Error* or similar messages: your compiler version is buggy. Try to lower the optimization level, or to remove optimization just for the routine that has problems. If it doesn't work, or if you experience weird problems at run time, try to install patches for your version of the compiler (most vendors release at least a few patches for free), or to upgrade to a more recent compiler version.
- If you get error messages at the loading phase that look like *file XYZ.o: unknown / not recognized / invalid / wrong file type / file format / module version*, one of the following things have happened:
 1. you have leftover object files from a compilation with another compiler: run `make clean` and recompile.
 2. `make` did not stop at the first compilation error (it may happen in some software configurations). Remove the file `*.o` that triggers the error message, recompile, look for a compilation error.

If many symbols are missing in the loading phase: you did not specify the location of all needed libraries (LAPACK, BLAS, FFTW, machine-specific optimized libraries), in the needed order. Note that QUANTUM ESPRESSO is self-contained (with the exception of MPI libraries for parallel compilation): if system libraries are missing, the problem is in your compiler/library combination or in their usage, not in QUANTUM ESPRESSO.

- If you get *Segmentation fault* or similar errors in the provided tests and examples: your compiler, or your mathematical libraries, or MPI libraries, or a combination thereof, is buggy, or there is some software incompatibility. Although one can never rule out the presence of subtle bugs in QUANTUM ESPRESSO that are not revealed during the testing phase, it is very unlikely that this happens on the provided tests and examples.
- If all test fails, look into the output and error files: there is some dumb reason for failure.
- If most test pass but some fail, again: look into the output and error files. A frequent source of trouble is complex function `zdotc`. See the "Linux PCs with gfortran compilers" paragraph, or replace `zdotc` with fortran intrinsic `dot_product`.

2.8.2 Linux PC

Both AMD and Intel CPUs, 32-bit and 64-bit, are supported and work, either in 32-bit emulation and in 64-bit mode. 64-bit executables can address a much larger memory space than 32-bit executable, but there is no gain in speed. Beware: the default integer type for 64-bit

machine is typically 32-bit long. You should be able to use 64-bit integers as well, but it is not guaranteed to work and will not give any advantage anyway.

Currently, `configure` supports Intel (ifort), NAG (nagfor), PGI (pgf90) and gfortran compilers. Pathscale, Sun Studio, AMD Open64, are no longer supported after v.6.2: g95, since v.6.1.

Both Intel MKL and AMD acml mathematical libraries are supported, the former much better than the latter.

It is usually convenient to create semi-statically linked executables (with only `libc`, `libm`, `libpthread` dynamically linked). If you want to produce a binary that runs on different machines, compile it on the oldest machine you have (i.e. the one with the oldest version of the operating system).

Linux PCs with gfortran You need at least gfortran v.4.4 or later to properly compile QUANTUM ESPRESSO.

”There is a known incompatibility problem between different calling convention for Fortran functions that return complex values [...] If your code crashes during a call to `zdotc`, recompile QUANTUM ESPRESSO using the internal BLAS and LAPACK routines (using `configure` options `--with-internal-blas` and `--with-internal-lapack`) to see if the problem disappears; or, add the `-ff2c` flag” (info by Giovanni Pizzi, Jan. 2013).

If you want to use MKL libraries together with gfortran, link `-lmkl_gf_lp64`, not `-lmkl_intel_lp64` (and the like for other architectures).

Linux PCs with Intel compiler (ifort) IMPORTANT NOTE: ifort versions earlier than v.15 miscompile the new XML code in QE v.6.4 and later. Please install this patch: <https://gitlab.com/QEF/q-e/wikis/Support/Patch-for-old-Intel-compilers>.

The Intel compiler ifort <http://software.intel.com/> produces fast executables, at least on Intel CPUs, but not all versions work as expected. In case of trouble, update your version with the most recent patches. Since each major release of ifort differs a lot from the previous one, compiled objects from different releases may be incompatible and should not be mixed.

The Intel compiler is no longer free for personal usage, but it is still for students and open-source contributors (<https://software.intel.com/en-us/qualify-for-free-software>).

If `configure` doesn't find the compiler, or if you get *Error loading shared libraries* at run time, you may have forgotten to execute the script that sets up the correct `PATH` and library path. Unless your system manager has done this for you, you should execute the appropriate script – located in the directory containing the compiler executable – in your initialization files. Consult the documentation provided by Intel.

The warning: *feupdateenv is not implemented and will always fail*, can be safely ignored. Warnings on “bad preprocessing option” when compiling `iotk` and complains about “recommended formats” may also be ignored.

Linux PCs with MKL libraries On Intel CPUs it is very convenient to use Intel MKL libraries (freely available at <https://software.intel.com/en-us/performance-libraries>). MKL libraries can be used also with non-Intel compilers. They work also for AMD CPU, selecting the appropriate machine-optimized libraries: see “Linux PCs with AMD processors”.

`configure` properly detects only recent (v.12 or later) MKL libraries, as long as the `$MKL-ROOT` environment variable is set in the current shell. Normally this environment variable

is set by sourcing the Intel MKL or Intel Parallel Studio environment script. By default the non-threaded version of MKL is linked, unless option `configure --with-openmp` is specified. In case of trouble, refer to the following web page to find the correct way to link MKL:
<http://software.intel.com/en-us/articles/intel-mkl-link-line-advisor/>.

For parallel (MPI) execution on multiprocessor (SMP) machines, set the environment variable `OMP_NUM_THREADS` to 1 unless you know what you are doing. See Sec.3 for more info on this and on the difference between MPI and OpenMP parallelization.

If you get a mysterious "too many communicators" error and a subsequent crash: there is a bug in Intel MPI and MKL 2016 update 3. See this thread and the links quoted therein:
http://www.mail-archive.com/pw_forum@pwscf.org/msg29684.html.

Linux PCs with AMD processors For AMD CPUs you may find convenient to link AMD acml libraries (can be freely downloaded from AMD web site). `configure` should recognize properly installed acml libraries. UPDATE (February 2020): ACML have been discontinued. There are new libraries called AMD Optimizing CPU Libraries (AOCL), tuned for the AMD EPYC processor family. "Recently I played around with some AMD EPYC cpus and the bad thing is that I also saw some strange numbers when using libflame/aocl 2.1. (...) Since version 2020 the MKL performs rather well when using AMD cpus, however, if you want to get the best performance you have to additionally set:

```
export MKL_DEBUG_CPU_TYPE=5
```

which gives an additional 10-20% speedup with MKL 2020, while for earlier versions the speedup is greater than 200%. [...] Another note, there seem to be problems using FFTW interface of MKL with AMD cpus. To get around this problem, one has to additionally set

```
export MKL_CBWR=AUTO
```

" (Info by Tobias Klöffel, Feb. 2020)

2.8.3 Linux PC clusters with MPI

PC clusters running some version of MPI are a very popular computational platform nowadays. QUANTUM ESPRESSO is known to work with at least two of the major MPI implementations (MPICH, LAM-MPI), plus with the newer MPICH2 and OpenMPI implementation. `configure` should automatically recognize a properly installed parallel environment and prepare for parallel compilation. Unfortunately this not always happens. In fact:

- `configure` tries to locate a parallel compiler in a logical place with a logical name, but if it has a strange names or it is located in a strange location, you will have to instruct `configure` to find it. Note that in many PC clusters (Beowulf), there is no parallel Fortran compiler in default installations: you have to configure an appropriate script, such as `mpif90`.
- `configure` tries to locate libraries (both mathematical and parallel libraries) in the usual places with usual names, but if they have strange names or strange locations, you will have to rename/move them, or to instruct `configure` to find them. If MPI libraries are not found, parallel compilation is disabled.

- `configure` tests that the compiler and the libraries are compatible (i.e. the compiler may link the libraries without conflicts and without missing symbols). If they aren't and the compilation fails, `configure` will revert to serial compilation.

Apart from such problems, QUANTUM ESPRESSO compiles and works on all non-buggy, properly configured hardware and software combinations. In some cases you may have to recompile MPI libraries: not all MPI installations contain support for the Fortran compiler of your choice (or for any Fortran compiler at all!).

If QUANTUM ESPRESSO does not work for some reason on a PC cluster, try first if it works in serial execution. A frequent problem with parallel execution is that QUANTUM ESPRESSO does not read from standard input, due to the configuration of MPI libraries: see Sec.3.4. If you are dissatisfied with the performances in parallel execution, see Sec.3 and in particular Sec.3.4.

2.8.4 Microsoft Windows

Since February 2020 QUANTUM ESPRESSO can be compiled on MS-Windows 10 using PGI 19.10 Community Edition (freely downloadable). `configure` works with the bash script provided by PGI but the `configure` of FoX fails: use script `install/build_fox_with_pgi.sh` to manually compile FoX.

Another option: use MinGW/MSYS. Download the installer from <https://osdn.net/projects/mingw> install MinGW, MSYS, gcc and gfortran. Start a shell window; run `./configure`; edit `make.inc`; uncommenting the second definition of `TOPDIR` (the first one introduces a final `"/` that Windows doesn't like); run `make`. Note that on some Windows the code fails when checking that `tmp_dir` is writable, for unclear reasons.

Another option is Cygwin, a UNIX environment which runs under Windows: see <http://www.cygwin.com/>.

Windows-10 users may also enable the Windows Subsystem for Linux (see here: <https://docs.microsoft.com/en-us/windows/wsl/install-win10>), install a Linux distribution, compile QUANTUM ESPRESSO as on Linux. It works very well.

As a final option, one can use Quantum Mobile: <https://www.materialscloud.org/work/quantum-mobile>.

2.8.5 Mac OS

Mac OS-X machines with gfortran or with the Intel compiler ifort and MKL libraries should work, but "your mileage may vary", depending upon the specific software stack you are using. Parallel compilation with OpenMPI should also work.

Gfortran information and binaries for Mac OS-X here: <http://hpc.sourceforge.net/> and <https://wiki.helsinki.fi/display/HUGG/GNU+compiler+install+on+Mac+OS+X>.

Mysterious crashes in `zdotc` are due to a known incompatibility of complex functions with some optimized BLAS. See the "Linux PCs with gfortran" paragraph.

2.9 Cray machines

For Cray XE machines:

```
$ module swap PrgEnv-cray PrgEnv-pgi
```

```
$ ./configure --enable-openmp --enable-parallel --with-scalapack
$ vim make.inc
```

then manually add `-D__IOTK_WORKAROUND1` at the end of `DFLAGS` line.

”Now, despite what people can imagine, every CRAY machine deployed can have different environment. For example on the machine I usually use for tests [...] I do have to unload some modules to make QE running properly. On another CRAY [...] there is also Intel compiler as option and the system is slightly different compared to the other. So my recipe should work, 99% of the cases.” (info by Filippo Spiga)

For Cray XT machines, use `./configure ARCH=crayxt4` or else `configure` will not recognize the Cray-specific software environment.

Older Cray machines: T3D, T3E, X1, are no longer supported.

2.9.1 Obsolescent architectures

Intel Xeon Phi For Intel Xeon CPUs with Phi coprocessor, see this link:

<https://software.intel.com/en-us/articles/explicit-offload-for-quantum-espresso>.

There are three ways of compiling:

- *offload* mode, executed on main CPU and offloaded onto coprocessor ”automagically”;
- *native* mode, executed completely on coprocessor;
- *symmetric* mode, requiring creation of both binaries.

”You can take advantage of the offload mode using the `libxphi` library. This library offloads the BLAS/MKL functions on the Xeon Phi platform hiding the latency times due to the communication. You just need to compile this library and then to link it dynamically. The library works with any version of QE. `Libxphi` is available from <https://github.com/cdahnken/libxphi>. Some documentation is available therein.

Instead, if you want to compile a native version of QE, you just need to add the `-mmic` flag and cross compile. If you want to use the symmetric mode, you need to compile twice: with and without the `-mmic` flag”. ”[...] everything, i.e. code+libraries, must be cross-compiled with the `-mmic` flag. In my opinion, it’s pretty unlikely that native mode can outperform the execution on the standard Xeon cpu. I strongly suggest to use the Xeon Phi in offload mode, for now” (info by Fabio Affinito, March 2015).

IBM BlueGene The current `configure` was working on the machines at CINECA and at Jülich. For other machines, you may need something like

```
./configure ARCH=ppc64-bg BLAS_LIBS=... LAPACK_LIBS=... \  
SCALAPACK_DIR=... BLACS_DIR=..."
```

where the various `*_LIBS` and `*_DIR` ”suggest” where the various libraries are located.

3 Parallelism

3.1 Understanding Parallelism

Two different parallelization paradigms are currently implemented in QUANTUM ESPRESSO:

1. *Message-Passing (MPI)*. A copy of the executable runs on each CPU; each copy lives in a different world, with its own private set of data, and communicates with other executables only via calls to MPI libraries. MPI parallelization requires compilation for parallel execution, linking with MPI libraries, execution using a launcher program (depending upon the specific machine). The number of CPUs used is specified at run-time either as an option to the launcher or by the batch queue system.
2. *OpenMP*. A single executable spawn subprocesses (threads) that perform in parallel specific tasks. OpenMP can be implemented via compiler directives (*explicit* OpenMP) or via *multithreading* libraries (*library* OpenMP). Explicit OpenMP require compilation for OpenMP execution; library OpenMP requires only linking to a multithreading version of mathematical libraries, e.g.: ESSL SMP, ACML_MP, MKL (the latter is natively multi-threading). The number of threads is specified at run-time in the environment variable OMP_NUM_THREADS.

MPI is the well-established, general-purpose parallelization. In QUANTUM ESPRESSO several parallelization levels, specified at run-time via command-line options to the executable, are implemented with MPI. This is your first choice for execution on a parallel machine.

The support for explicit OpenMP is steadily improving. Explicit OpenMP can be used together with MPI and also together with library OpenMP. Beware conflicts between the various kinds of parallelization! If you don't know how to run MPI processes and OpenMP threads in a controlled manner, forget about mixed OpenMP-MPI parallelization.

3.2 Running on parallel machines

Parallel execution is strongly system- and installation-dependent. Typically one has to specify:

1. a launcher program such as `mpirun` or `mpiexec`, with the appropriate options (if any);
2. the number of processors, typically as an option to the launcher program;
3. the program to be executed, with the proper path if needed;
4. other QUANTUM ESPRESSO-specific parallelization options, to be read and interpreted by the running code.

Items 1) and 2) are machine- and installation-dependent, and may be different for interactive and batch execution. Note that large parallel machines are often configured so as to disallow interactive execution: if in doubt, ask your system administrator. Item 3) also depend on your specific configuration (shell, execution path, etc). Item 4) is optional but it is very important for good performances. We refer to the next section for a description of the various possibilities.

3.3 Parallelization levels

In QUANTUM ESPRESSO several MPI parallelization levels are implemented, in which both calculations and data structures are distributed across processors. Processors are organized in a hierarchy of groups, which are identified by different MPI communicators level. The groups hierarchy is as follow:

- **world**: is the group of all processors (MPI_COMM_WORLD).
- **images**: Processors can then be divided into different "images", each corresponding to a different self-consistent or linear-response calculation, loosely coupled to others.
- **pools**: each image can be subpartitioned into "pools", each taking care of a group of k-points.
- **bands**: each pool is subpartitioned into "band groups", each taking care of a group of Kohn-Sham orbitals (also called bands, or wavefunctions). Especially useful for calculations with hybrid functionals.
- **PW**: orbitals in the PW basis set, as well as charges and density in either reciprocal or real space, are distributed across processors. This is usually referred to as "PW parallelization". All linear-algebra operations on array of PW / real-space grids are automatically and effectively parallelized. 3D FFT is used to transform electronic wave functions from reciprocal to real space and vice versa. The 3D FFT is parallelized by distributing planes of the 3D grid in real space to processors (in reciprocal space, it is columns of G-vectors that are distributed to processors).
- **tasks**: In order to allow good parallelization of the 3D FFT when the number of processors exceeds the number of FFT planes, FFTs on Kohn-Sham states are redistributed to "task" groups so that each group can process several wavefunctions at the same time. Alternatively, when this is not possible, a further subdivision of FFT planes is performed.
- **linear-algebra group**: A further level of parallelization, independent on PW or k-point parallelization, is the parallelization of subspace diagonalization / iterative orthonormalization. Both operations required the diagonalization of arrays whose dimension is the number of Kohn-Sham states (or a small multiple of it). All such arrays are distributed block-like across the "linear-algebra group", a subgroup of the pool of processors, organized in a square 2D grid. As a consequence the number of processors in the linear-algebra group is given by n^2 , where n is an integer; n^2 must be smaller than the number of processors in the PW group. The diagonalization is then performed in parallel using standard linear algebra operations. (This diagonalization is used by, but should not be confused with, the iterative Davidson algorithm). The preferred option is to use ELPA and ScaLAPACK; alternative built-in algorithms are anyway available.

Note however that not all parallelization levels are implemented in all codes.

About communications Images and pools are loosely coupled: inter-processors communication between different images and pools is modest. Processors within each pool are instead tightly coupled and communications are significant. This means that fast communication hardware is needed if your pool extends over more than a few processors on different nodes.

Choosing parameters : To control the number of processors in each group, command line switches: `-nimage`, `-npools`, `-nband`, `-ntg`, `-ndiag` or `-northo` (shorthands, respectively: `-ni`, `-nk`, `-nb`, `-nt`, `-nd`) are used. As an example consider the following command line:

```
mpirun -np 4096 ./neb.x -ni 8 -nk 2 -nt 4 -nd 144 -i my.input
```

This executes a NEB calculation on 4096 processors, 8 images (points in the configuration space in this case) at the same time, each of which is distributed across 512 processors. k-points are distributed across 2 pools of 256 processors each, 3D FFT is performed using 4 task groups (64 processors each, so the 3D real-space grid is cut into 64 slices), and the diagonalization of the subspace Hamiltonian is distributed to a square grid of 144 processors (12x12).

Default values are: `-ni 1 -nk 1 -nt 1`; `nd` is set to 1 if ScaLAPACK is not compiled, it is set to the square integer smaller than or equal to half the number of processors of each pool.

Massively parallel calculations For very large jobs (i.e. $O(1000)$ atoms or more) or for very long jobs, to be run on massively parallel machines (e.g. IBM BlueGene) it is crucial to use in an effective way all available parallelization levels: on linear algebra (requires compilation with ELPA and/or ScaLAPACK), on "task groups" (requires run-time option `"-nt N"`), and mixed MPI-OpenMP (requires OpenMP compilation: `configure--enable-openmp`). Without a judicious choice of parameters, large jobs will find a stumbling block in either memory or CPU requirements. Note that I/O may also become a limiting factor.

3.3.1 Understanding parallel I/O

In parallel execution, each processor has its own slice of data (Kohn-Sham orbitals, charge density, etc), that have to be written to temporary files during the calculation, or to data files at the end of the calculation. This can be done in two different ways:

- "collected": all slices are collected by the code to a single processor that writes them to disk, in a single file, using a format that doesn't depend upon the number of processors or their distribution. This is the default since v.6.2 for final data.
- "portable": as above, but data can be copied to and read from a different machines (this is not guaranteed with Fortran binary files). Requires compilation with `-D__HDF5` preprocessing option and HDF

There is a third format, no longer used for final data but used for scratch and restart files:

- "distributed": each processor writes its own slice to disk in its internal format to a different file. The "distributed" format is fast and simple, but the data so produced is readable only by a job running on the same number of processors, with the same type of parallelization, as the job who wrote the data, and if all files are on a file system that is visible to all processors (i.e., you cannot use local scratch directories: there is presently no way to ensure that the distribution of processes across processors will follow the same pattern for different jobs).

The directory for data is specified in input variables `outdir` and `prefix` (the former can be specified as well in environment variable `ESPRESSO_TMPDIR`): `outdir/prefix.save`. A copy of pseudopotential files is also written there. If some processor cannot access the data directory, the pseudopotential files are read instead from the pseudopotential directory specified

in input data. Unpredictable results may follow if those files are not the same as those in the data directory!

IMPORTANT: Avoid I/O to network-mounted disks (via NFS) as much as you can! Ideally the scratch directory `outdir` should be a modern Parallel File System. If you do not have any, you can use local scratch disks (i.e. each node is physically connected to a disk and writes to it) but you may run into trouble anyway if you need to access your files that are scattered in an unpredictable way across disks residing on different nodes.

You can use input variable `disk_io` to vary the amount of I/O done by `pw.x`. Since v.5.1, the default value is `disk_io='low'`, so the code will store wavefunctions into RAM and not on disk during the calculation. Specify `disk_io='medium'` only if you have too many k-points and you run into trouble with memory; choose `disk_io='none'` if you do not need to keep final data files.

3.4 Tricks and problems

Many problems in parallel execution derive from the mixup of different MPI libraries and runtime environments. There are two major MPI implementations, OpenMPI and MPICH, coming in various versions, not necessarily compatible; plus vendor-specific implementations (e.g. Intel MPI). A parallel machine may have multiple parallel compilers (typically, `mpif90` scripts calling different serial compilers), multiple MPI libraries, multiple launchers for parallel codes (different versions of `mpirun` and/or `mpiexec`). You have to figure out the proper combination of all of the above, which may require using command `module` or manually setting environment variables and execution paths. What exactly has to be done depends upon the configuration of your machine. You should inquire with your system administrator or user support (if available; if not, YOU are the system administrator and user support and YOU have to solve your problems).

Always verify if your executable is actually compiled for parallel execution or not: it is declared in the first lines of output. Running several instances of a serial code with `mpirun` or `mpiexec` produces strange crashes.

Trouble with input files Some implementations of the MPI library have problems with input redirection in parallel. This typically shows up under the form of mysterious errors when reading data. If this happens, use the option `-i` (or `-in`, `-inp`, `-input`), followed by the input file name. Example:

```
pw.x -i inputfile -nk 4 > outputfile
```

Of course the input file must be accessible by the processor that must read it (only one processor reads the input file and subsequently broadcasts its contents to all other processors).

Apparently the LSF implementation of MPI libraries manages to ignore or to confuse even the `-i/in/inp/input` mechanism that is present in all QUANTUM ESPRESSO codes. In this case, use the `-i` option of `mpirun.lsf` to provide an input file.

Trouble with MKL and MPI parallelization If you notice very bad parallel performances with MPI and MKL libraries, it is very likely that the OpenMP parallelization performed by the latter is colliding with MPI. Recent versions of MKL enable autoparallelization by default on multicore machines. You must set the environment variable `OMP_NUM_THREADS` to 1 to

disable it. Note that if for some reason the correct setting of variable `OMP_NUM_THREADS` does not propagate to all processors, you may equally run into trouble. Lorenzo Paulatto (Nov. 2008) suggests to use the `-x` option to `mpirun` to propagate `OMP_NUM_THREADS` to all processors. Axel Kohlmeyer suggests the following (April 2008): "(I've) found that Intel is now turning on multithreading without any warning and that is for example why their FFT seems faster than FFTW. For serial and OpenMP based runs this makes no difference (in fact the multi-threaded FFT helps), but if you run MPI locally, you actually lose performance. Also if you use the 'numactl' tool on linux to bind a job to a specific cpu core, MKL will still try to use all available cores (and slow down badly). The cleanest way of avoiding this mess is to either link with

```
-lmkl_intel_lp64 -lmkl_sequential -lmkl_core (on 64-bit: x86_64, ia64)
-lmkl_intel -lmkl_sequential -lmkl_core (on 32-bit, i.e. ia32 )
```

or edit the `libmkl_'platform'.a` file. I'm using now a file `libmkl10.a` with:

```
GROUP (libmkl_intel_lp64.a libmkl_sequential.a libmkl_core.a)
```

It works like a charm". UPDATE: Since v.4.2, `configure` links by default MKL without multithreaded support.

Trouble with compilers and MPI libraries Many users of QUANTUM ESPRESSO, in particular those working on PC clusters, have to rely on themselves (or on less-than-adequate system managers) for the correct configuration of software for parallel execution. Mysterious and irreproducible crashes in parallel execution are sometimes due to bugs in QUANTUM ESPRESSO, but more often than not are a consequence of buggy compilers or of buggy or miscompiled MPI libraries.